INDEX

Page

Abbella subflava, parasite of *Eutettix tenella*... 250
Abies—
balsamea, hypertrophied lenticels..... 255–266
grandis, hypertrophied lenticels..... 255
Abutilon—
berlandieri, food plant of—
Meskea thyridinae..... 828–829
Telephusa mariona..... 812
incanum, food plant of—
Meskea thyridinae..... 828–829
Telephusa mariona..... 812
Acer negundo, composition of green and albino leaves..... 179
Acetic acid. See Acid, acetic.
Acid—
acetic, in sugar beet top silage..... 540–542
boric, value as disinfectant..... 86–110
butyric, in sugar beet top silage..... 541–542
carbolic, coefficients of chlorin antiseptics. 100–102
citric—
availability of iron to rice plants in calcareous and noncalcareous soils..... 50–54
in grapefruit..... 359–372
glutaminic, in potato protein..... 624
hydrochloric, effect on availability of potassium..... 619–621
hypochlorous, value as disinfectant..... 86–110
lactic, in sugar beet top silage..... 540–542
nitric, effect on availability of potassium. 619–621
phosphoric—
effect on availability of potassium..... 616–617
in plants grown with ferrous sulphate and gypsum..... 42
in plants grown with sodium bicarbonate and sprayed with lime and iron salts.. 46
in potato tubers, skins, and sprouts.... 628–634
propionic, in sugar beet top silage..... 540–542
tartaric—
availability to rice plants in calcareous and noncalcareous soils..... 50–54
effect on yield of volatile oil from Chinese colza seed..... 130–131
valeric, in sugar beet top silage..... 541–542
Acid-base balance of poultry feed..... 141–149
Acidity of—
poultry feed mixtures..... 141–149
sap of normal and mottled orange leaves. 186–187
soil, relation of calcium content..... 855–868
sugar beet top silage..... 540–542
wheat, changes due to tempering..... 272–275
Acids—
diamino, in potato sprouts..... 624
effect on availability of potassium..... 619–620
Acids-solids ratio in grapefruit..... 359–373
Acronyctinae, one species collected on *Malvaviscus drummondii*..... 834
Adesmia spp., hosts of *Urophlyctis alfalfae* in Argentina..... 296

Page

Adomonica demylus, parasite of *Neodiprion lecontei*..... 757–758
Aedemoses haesitans, similarity to *Pectinophora gossypiella*..... 816–817
Aegeriidae, similarity of one species to *Pectinophora gossypiella*..... 826–827
Aeration, relation to hypertrophied lenticels on the roots of conifers..... 253–266
Aerobic bacilli in canned ripe olives..... 377–379
Age, effect on composition of potato tubers, skins, and sprouts..... 632–634
Age of mycelium of *Rhizopus tritici*, effect on hydrolysis of starch..... 766–768
Agrotinae, similarity of certain species to *Pectinophora gossypiella*..... 833
Aguingay. See *Rottboellia exaltata*.
Ainslie, George G., and Cartwright, W. B. (paper): Biology of the Smartweed Borer, Pyrausta ainslii Heinrich..... 837–844
Air, carbon-dioxid content in barns..... 405–408
Alabama argillacea, collected on cotton..... 834
Alanin in potato protein..... 624
Albumins, effect on freezing-point depression of seeds..... 593
Alcohol, effect on—
tetanus..... 69
yield of volatile oil from Chinese colza seed. 130–131
Aletia argillacia. Syn. *Alabama argillacea*.
Alfalfa. See *Medicago sativa*.
Algae—
influence on effect of copper sulphate on organisms in water..... 200–203
susceptibility to copper salts..... 197
Alkaline reaction, effect on chlorosis of plants. 42–47
Alkalinity—
influence on effect of copper on organisms in water..... 200–203, 205
of poultry feed mixtures..... 141–149
of soil, relation of calcium content..... 855–868
Allium—
ascalonicum, host of *Colletotrichum circinans*..... 686–722
cepa, host of *Colletotrichum circinans*.... 685–722
porrum, host of *Colletotrichum circinans*.. 686–722
sativum, host of *Colletotrichum circinans*.. 686–722
Allyl—
cyanid, formation during maceration of Chinese colza seed..... 131
isothiocyanate, physical constants..... 127
thiocyanate, formation during maceration of Chinese colza seed..... 131
thiourethane, formation during maceration of Chinese colza seed..... 131
Almond, tropical. See *Terminalia catappa*.
Althaea rosea, food plant of *Crocidosema plebeiana*..... 822
Aluminum in normal and mottled citrus leaves..... 267

Amaranthus— Page
hybridus, food plant of *Pachyzancla bipunctalis* ... 830
spp., food plants of *Platynota rostrana* ... 821
Ambrosia—
artemisiaefolia, shelter plant of *Pyrausta ainsliei* ... 839
trifida, shelter plant of *Pyrausta ainsliei* ... 839
American larch. See *Larix americana*.
Amid and monoamino nitrogen in potato tubers, skins, and sprouts ... 628-634
Ammonia—
effect in stimulating sprouting of potato tubers ... 623
influence on efficiency of chlorin disinfectants ... 102-109
in potato protein ... 624
in potato tubers, skins, and sprouts ... 632-634
Ammonium hydrate nitrogen in potato tubers, skins, and sprouts ... 628-634
Amorbia emigratella, similarity to *Platynota rostrana* ... 822
Amorpha nodule bacteria cultures, effect on milk ... 550
Amphistoma, intestinal fluke in Tropics ... 194
Amylase of Rhizopus tritici, with a Consideration of Its Secretion and Action (paper). 761-786
Anaerobic bacilli in canned ripe olives ... 377-379
Anagrus giraulti, parasite of *Eutettix tenella* ... 250
Ancylus caurinus, susceptibility to copper salts ... 199
Andropogon sorghum—
host of *Sclerospora philippinensis*.
var. *halepense*, immunity to *Sclerospora spontanea* ... 671
Angelica, host of *Gibberella saubinetii* ... 16
Anias. See *Andropogon sorghum* var. *halepense*.
Annelids, susceptibility to copper salts ... 198
Anomis exacta, collected on *Malvaviscus drummondii* ... 834
Another Conidial Sclerospora of Philippine Maize (paper) ... 669-684
Anthrax—
inefficacy of echinacea against ... 74-75
spores, effect of chlorin disinfectants ... 94-98
"Anthracnose" of onions. See *Colletotrichum circinans*.
Antiseptics, comparison with green feed as preventive of intestinal disorders in chicks 869-873
Apium graveolens, host of *Sclerotinia minor* 331-334
Aplastomorpha vandinei, parasite of *Sitophilus oryza* ... 421
Appleman, Charles O., and Eaton, S. V. (paper): Evaluation of Climatic Temperature Efficiency for the Ripening Processes in Sweetcorn ... 795-805
Araecerus fasciculatus—
description ... 606-608
distinguishing characters ... 605-606
synonymy ... 606
Araucaria bidwellii, hypertrophied lenticels. 255-266
Arbutus, trailing. See *Epigaea repens*.
Arginin in potato protein ... 624
Artschwager, Ernst F. (paper): Pathological Anatomy of Potato Blackleg ... 325-330
Ascospores of *Giberella saubinetii* ... 11
Ash— Page
carbon-free—
in plants grown with ferrous sulphate and gypsum ... 42
in plants grown with sodium bicarbonate and sprayed with lime and iron salts ... 46
in bean cotyledons ... 878
in Chinese colza seed ... 127
in potato tubers, skins, and sprouts ... 628-634
in sugar beet top silage ... 538-540
in sugars in storage ... 638-653
Asparagin in potato sprouts ... 623
Asparagus, host of *Gibberella saubinetii* ... 16
Aspergillus, attacking wheat treated with formaldehyde ... 215
Aspergillus—
niger, enzymic action ... 778-779
terreus in canned ripe olives ... 377-379
Aster spp., shelter plants of *Pyrausta ainsliei* ... 839
Atanasoff, Dimitr (paper): Fusarium-Blight (Scab) of Wheat and Other Cereals ... 1-32
Athmia rectifascia. Syn. *Bagisara rectifascia*.
Atriplex spp., hosts of *Eutettix tenella* ... 247
"Atypical" carbon dioxid in barn air ... 408
Austrian pine. See *Pinus austriaca*.
Avena sativa, host of *Gibberella saubinetii* ... 1-32
Avocado weevil. See *Heilipus lauri*.
Babaeaxa delliella. Syn. *Ethmia delliella*.
Bacillus—
aerogenes, relation of nodule bacteria to ... 543-556
alcaligenes, flagellation peritrichic or cephalotrichic ... 552
anthracis—
effect of chlorin disinfectants ... 94-98
inefficacy of echinacea against ... 74-75
botulinus—
in canned ripe olives ... 375-379
inefficacy of echinacea against ... 71-72
bovisepticus, inefficacy of echinacea against. 72-74
cereus in canned ripe olives ... 377-379
cloacae in canned ripe olives ... 377-379
coli—
flagellation peritrichic or cephalotrichic ... 552
relation to *Bacillus aerogenes* ... 543
lactis viscosum, relation of nodule bacteria to ... 543-556
megatherium, enzymic action ... 778
mesentericus in canned ripe olives ... 377-379
mycoides in canned ripe olives ... 377-379
pneumoniae, relation of nodule bacteria to. 543-556
pyocyaneus, effect of chlorin disinfectants upon ... 88-110
radicicola—
comparison with cowpea-soybean bacteria ... 545-554
peritrichic flagellations ... 544
radiobacter—
comparison with cowpea-soybean bacteria ... 545-554
relation to *Bacillus coli* ... 543
relation of nodule bacteria to ... 543-556
solanacearum, not cause of Fusarium-wilt of tobacco ... 515-536
tuberculosis, effect of chlorin disinfectants ... 98-100
typhosus, effect of chlorin disinfectants upon ... 88-110

Bacteria— Page
in canned ripe olives..... 375–379
nodule, of leguminous plants..... 543–556
Bacteriological Study of Canned Ripe Olives, A (paper)..... 375–379
Bacterium—
fluorescens liquefaciens in canned ripe olives..... 377–379
japonicum, possible name for cowpea-soy-bean nodule bacteria..... 551
Bactrocera cucurbitae, host of *Opius fletcheri*. 423–438
Bagisara rectifascia, collected on *Malvaviscus drummondii*..... 834
Barber, H. S., and Dietz, H. F. (paper): A New Avocado Weevil from the Canal Zone..... 111–116
Barley. See *Hordeum* spp.
Barn air, carbon-dioxid content..... 405–408
Bastardia viscosa, food plant of *Platynota rostrana*..... 821
Batrachedra rileyi. Syn. *Pyroderces rileyi*.
Bean—
kidney. See *Phaseolus vulgaris*.
navy, nodule bacteria cultures, effect on milk..... 550
seedlings, utilization of mineral constituents in soil and in distilled water..... 875–880
Beans, horse. See *Vicia faba*.
Beet leafhopper. See *Eutettix tenella*.
Beet top silage..... 537–542
Beggar weed nodule bacteria cultures, effect on milk..... 550
Beggartick. See *Bidens bipinnata*.
Benzoate, ferric, availability to rice plants in calcareous and noncalcareous soils..... 50–54
Beta, host of *Gibberella saubinetii*..... 16
Bicarbonate, sodium—
effect on growth of rice..... 44–47
value as disinfectant..... 86–110
Bichlorid, mercuric, toxity to snails..... 196
Bidens—
bipinnata, shelter plant of *Pyrausta ainsliei*. 839
frondosa, shelter plant of *Pyrausta ainsliei*. 839
Biology of the Smartweed Borer, Pyrausta ainsliei Heinrich (paper)..... 837–844
Bisulphid, carbon, formation during maceration of Chinese colza seed..... 131
Black locust nodule bacteria cultures, effect on milk..... 550
Blackleg of *Solanum tuberosum*..... 325–330
"Black spot" of onions. See *Colletotrichum circinans*.
Blanfordia, intermediate host of *Schistosoma japonicum*..... 198
Blastobasidae, similarity of certain species to *Pectinophora gossypiella*..... 817–819
Blastobasis—
citricolella. Syn. *Zenodochium citricolella*.
citriella. Syn. *Zenodochium citricolella*.
Blood, dried, availability of iron to rice plants in calcareous and noncalcareous soils..... 50–54
Blood flukes, control by destruction of intermediate host..... 193–208
Blood serum, effect on efficacy of chlorin disinfectants..... 89–110
Blueberry, highbush. See *Vaccinium corymbosum*.
Bollworm, pink, similar lepidoptera..... 807–836
Bombyx obsoleta. Syn. *Heliothis obsoleta*. Page
Borate, calcium, value as disinfectant..... 86–110
Bordeaux spraying, effect on composition of potato tubers, skins, and sprouts..... 632–634
Borer, smartweed. See *Pyrausta ainsliei*.
Boric acid. See Acid, boric.
Borkhausenia—
ascriptella, agreement with type species... 816
conia, similarity to *Tricionella* spp..... 815–816
divemi, similarity to *Tricionella* spp..... 815–816
episcia, similarity to *Tricionella* spp..... 815–816
fasciata, similarity to *Tricionella* spp..... 815–816
haydenella, agreement with type species.... 816
minutella, distinguishing characters..... 815–816
orites, similarity to *Tricionella* spp..... 815–816
pseudospretella, agreement with type species..... 816
Botryosphaeria saubinetii. Syn. *Gibberella saubinetii*.
Botrytis—
cinerea, growth of hyphae..... 703
spp., sclerotia..... 689
Botulism—
caused by *Bacillus botulinus*..... 375–379
inefficacy of echinacea against..... 72–72
Botys(?) *thalialis*. Syn. *Noctuelia rufofascialis*.
Bouyoucos, George (paper): Degree of Temperature to Which Soils Can Be Cooled without Freezing..... 267–269
Bouyoucos, George J., and McCool, M. M. (paper): Measurement of the Amount of Water That Seeds Cause to Become Unfree and Their Water-Soluble Material..... 587–593
Brassica—
besseriana, seed..... 125–126
campestris—
classification..... 118–122
chinensis—
classification..... 118–121
oleifera, n. f. See *Brassica campestris chinoleifera*.
chinoleifera—
analysis of seeds..... 126–132
bactericidal action..... 134–135
botanical characteristics..... 122–126
classification..... 118–122
pharmacological action..... 133–134
substitute for mustard..... 117–140
volatile oil..... 127–132
pekinensis, classification..... 118–121
var. *annua sativa chinensis*, classification..... 120
var. *chinensis*, classification..... 118–122
var. *sativa annua chinensis*, classification 119–122
cernua—
Japanese mustard..... 117
leaf formation..... 124
juncea—
Chinese mustard..... 117
leaf formation..... 124
napiformis, leaf formation..... 124
nigra, leaf formation..... 124
oleracea bullata gemmifera, seed..... 125–126
orientalis, classification..... 118–122
pekinensis, classification..... 119
pe-tsai, classification..... 119
rapa—
classification..... 119
effect on water extract of soil..... 663–667

Brauneria— Page
angustifolia—
habitat ... 64
medicinal properties ... 63-84
habitat ... 64
pallida, habitat ... 64
paradoxa, habitat ... 64
purpurea, habitat ... 64
Breazeale, J. F., and Briggs, Lyman J. (paper): Concentration of Potassium in Orthoclase Solutions Not a Measure of Its Availability to Wheat Seedlings ... 615-621
Briggs, Lyman J., and Breazeale, J. F. (paper): Concentration of Potassium in Orthoclase Solutions Not a Measure of Its Availability to Wheat Seedlings ... 615-621
Bromid, ethyl, effect in stimulating sprouting of potato tubers ... 623
Bromin, effect in stimulating sprouting of potato tubers ... 623
Bromus sp., host of *Gibberella saubinetii* ... 16
Broom. See *Sarothamnus scoparius*.
Buckner, G. Davis (paper): Comparative Utilization of the Mineral Constituents in the Cotyledons of Bean Seedlings Grown in Soil and in Distilled Water ... 875-880
Buckwheat. See *Fagopyrum fagopyrum*.
Buds, freezing ... 655-662
Buganĝ grass. See *Saccharum spontaneum*.
Bullinus, intermediate host of *Schistosoma haematobium* and *S. mansoni* ... 198
Bunchberry. See *Cornus canadensis*.
Burger, O. F. (paper): Variations in Colletotrichum gloeosporioides ... 723-736
Butyric acid. See Acid, butyric.
Buxus, host of *Gibberella saubinetii* ... 16
Calandra—
frugilega. Syn. *Silophilus linearis*.
tamarindi. Syn. *Silophilus linearis*.
(*Calandra*) *Silophilus oryza*. See *Silophilus oryza*.
Calcifugous plants, ecology ... 33-34
Calciphilous plants, ecology ... 33-34
Calcium—
borate, value as disinfectant ... 86-110
carbonate—
effect on growth of plants ... 40-44
in Kansas soils ... 864-866
hypochlorite, value as disinfectant ... 86-110
in bean cotyledons ... 878
in cropped and uncropped soils ... 663-667
in normal and mottled citrus leaves ... 166-190
in soil extract ... 387-394
in southern poultry feeds ... 143
oxid in potato tubers, skins, and sprouts ... 633
phosphate, effect on growth of plants ... 40-44
silicate, effect on growth of plants ... 40-44
relation to soil reaction ... 855-868
sulphate effect on—
availability of potassium ... 616-617
growth of plants ... 40-44
Callida decora, parasite of *Pyrausta ainsliei* ... 844
Calluna vulgaris, growth on calcareous soil ... 35
Calories, protein, in various poultry feeds ... 147
Cannabis, host of *Gibberella saubinetii* ... 16
Carbohydrates— Page
in sugar beet top silage ... 538-540
in sweetcorn ... 795-805
Carbolic-acid coefficients of chlorin antiseptics ... 100-102
Carbonate—
calcium—
cause of chlorosis in plants ... 36-49
effect on availability of iron in soil ... 47-49
effect on growth of plants ... 40-44
in Kansas soils ... 864-866
bisulphid, formation during maceration of Chinese colza seed ... 131
dioxid—
effect on availability of potassium ... 618
Kansas soils ... 858
relation to hypertrophy of conifers ... 261
tetrachlorid, effect in stimulating sprouting of potato tubers ... 623
Carbon-Dioxid Content of Barn Air (paper) 405-408
Carmichael, W. J., and Detleisen, J. A. (paper) Inheritance of Syndactylism, Black, and Dilution in Swine ... 595-604
Carr, R. H., et al. (paper): Green Feed versus Antiseptics as a Preventive of Intestinal Disorders of Growing Chicks ... 869-873
Carrero, J. O., and Gile, P. L. (paper): Cause of Lime-Induced Chlorosis and Availability of Iron in the Soil ... 33-62
Cartwright, W. B., and Ainslie, George G. (paper): Biology of the Smartweed Borer, Pyrausta ainsliei Heinrich ... 837-844
Carum—
carvi, host of *Urophlyctis kriegeriana* ... 313
incrassatum, host of *Urophlyctis hemisphaerica* ... 308
Cassia—
chamaecrista nodule bacteria cultures, effect on milk ... 550
tora, food plant of *Platynota rostrana* ... 811, 821
Castanea vesca, calcifugous nature ... 34
Caulophilus latinasus—
description ... 608-610
distinguishing characters ... 605-606
synonymy ... 608
Causation and correlation ... 557-585
Cause of Lime-Induced Chlorosis and Availability of Iron in the Soil (paper) ... 33-62
Cataclysta (?) *julianalis*. Syn. *Dicymolomia julianalis*.
Catolaccus incertus, parasite of *Silophilus oryza* 422
Cattail. See *Typha latifolia*.
Celery. See *Apium graveolens*.
Cephalanthus occidentalis—
food plant of *Phalonia cephalanthana* ... 825
water lenticels ... 256
Ceratitis capitata, experimental host of *Opius fletcheri* ... 423
Cercocephala elegans, parasite of *Silophilus oryza* ... 421
Chaetodacus cucurbitae, host of *Opius fletcheri*. 431
Chandler, Asa C. (paper): Control of Fluke Diseases by Destruction of the Intermediate Host ... 193-208
Changes Taking Place in the Tempering of Wheat (paper) ... 271-275

Chauliognathus pennsylvanicus, parasite of *Pyrausta ainsliei* ... Page 844
Chenopodium—
glaucum, host of *Urophlyctis pulposa* ... 313
murale, host of *Eutettix tenella* ... 247
spp., hosts of—
Eutettix tenella ... 247
Urophlyctis (*Cladochytrium*) *pulposa* ... 300
Chestnut. See *Castanea vesca*.
Chicks, green feed versus antiseptics as preventive of intestinal disorders ... 869–873
Chilling, influence in stimulating growth of plants ... 151–160
Chinese colza. See *Brassica campestris chinoleifera*.
"Chloramin T," value as disinfectant ... 85–110
"Chlorazene." See "Chloramin T."
Chlorid—
copper, toxity to snails ... 196–197
ethyl, effect in stimulating sprouting of potato tubers ... 623
ferric—
availability to rice plants in calcareous and noncalcareous soils ... 50–54
effect on growth of rice ... 42–44
in normal and mottled citrus leaves ... 166–190
manganese, effect on formation of potato tubers ... 623
potassium—
absorption by plants ... 616–617
effect on concentration of soil solution ... 393
Chloridea—
obsoleta. Syn. *Heliothis obsoleta*.
virescens. Syn. *Heliothis virescens*.
Chlorin—
disinfectants, germicidal value ... 85–110
in southern poultry feeds ... 143
Chlorinated lime, influence on effect of copper sulphate in water ... 202
Chlorosis, caused by lime ... 33–62
Chrysauginae, similarity of one species to *Pectinophora gossypiella* ... 832
Chrysophyllum oliviformae, host fruit of *Ceratitis capitata* ... 423
Citrate, ferric—
availability to rice plants in calcareous and noncalcareous soils ... 50–54
effect on growth of rice ... 42–44
Citric acid. See Acid, citric.
Citrus—
aurantium, composition of parts of tree ... 162
aurantifolia, parent of limequat ... 469
decumana, changes during storage ... 357–373
grandis—
composition of leaves ... 163
influence of—
humidity on development of *Pseudomonas citri* ... 494–497
temperature on development of *Pseudomonas citri* ... 471–488
temperature on growth ... 459–471
limonia, composition of parts of tree ... 162
medica, host of *Gloeosporium limeticolum* ... 724
Citrus—Continued Page
mitis, influence of—
humidity on development of *Pseudomonas citri* ... 494–497
temperature on development of *Pseudomonas citri* ... 471–488
temperature on growth ... 459–471
nobilis, var. *deliciosa*, composition of parts of tree ... 162
sinensis, parent of hybrid Rusk citrange ... 459
Citrus-canker. See *Pseudomonas citri*.
Citrus leaves, normal and mottled, composition ... 161–191
Cladochytrium alfalfae. Syn. *Urophlyctis* (*Physoderma*) *leproidea*.
Clawson, A. B., and Marsh, C. Dwight (paper): Daubentonia longifolia (Coffee Bean), a Poisonous Plant ... 507–514
Clematis, host of *Gibberella saubinetii* ... 16
Clevenger, Joseph P., et al. (paper): Studies in Mustard Seeds and Substitutes: I. Chinese Colza (Brassica campestris chinoleifera Viehoever) ... 117–140
Climate—
effect on composition of potato tubers, skins, and sprouts ... 632–634
relation to crownwart of alfalfa ... 319
Climatic temperature, effect on ripening processes in sweetcorn ... 795–805
Clonorchis—
human liver fluke ... 193–195
parasite of Melania ... 198
Clover—
Japan, nodule bacteria cultures, effect on milk ... 550
red, nodule bacteria cultures, effect on milk ... 550
sweet, nodule bacteria cultures, effect on milk ... 550
See *Trifolium* spp.
Clydonopteron tecomae, similarity to *Pectinophora gossypiella* ... 832
Cocci in canned ripe olives ... 377–379
Cocklebur. See *Xanthium communis*.
Coffea arabica, host of *Ceratitis capitata* ... 423
Coffee bean. See *Daubentonia longifolia*.
Coffee. See *Coffea arabica*.
Cogon. See *Imperata cylindracea*.
Coix—
lachryma, host of *Sitophilus oryza* ... 410
lachryma-jobi, immunity to *Sclerospora spontanea* ... 671
Cold, influence in stimulating growth of plants ... 151–160
Colletotrichum—
antirrhini, stromata ... 692
circinans, causal organism of onion smudge ... 685–722
fructus, similarity to *C. circinans* ... 693–694
gloeosporioides, variations ... 723–736
lagenarium, growth of hyphae ... 703
lindemuthianum, growth of hyphae ... 703
sp.—
cause of wilting of cereal plants ... 7
isolated from diseased potato vines ... 280–281

Colloidal material, effect on freezing of water in soil ... Page 591
Colloids, effect on oxidation of potassium ... 620
Colon bacilli in canned ripe olives ... 377–379
Color, inheritance in swine ... 595–604
Comparative Study of the Composition of the Sunflower and Corn Plants at Different Stages of Growth, A (paper) ... 787–793
Comparative Utilization of the Mineral Constituents in the Cotyledons of Bean Seedlings Grown in Soil and in Distilled Water (paper) ... 875–880
Composition of Normal and Mottled Citrus Leaves (paper) ... 161–191
Composition of Tubers, Skins, and Sprouts of Three Varieties of Potatoes (paper) ... 623–635
Concentration of Potassium in Orthoclase Solutions Not a Measure of Its Availability to Wheat Seedlings (paper) ... 615–621
Conidia of *Gibberella saubinetii* ... 9–11
Conifers, hypertrophied lenticels ... 253–266
Conium, host of *Gibberella saubinetii* ... 16
Control of Fluke Diseases by Destruction of the Intermediate Host (paper) ... 193–208
Convolvulus, host of *Gibberella saubinetii* ... 16
Cook, F. C. (paper): Composition of Tubers, Skins, and Sprouts of Three Varieties of potatoes ... 623–635
Copper—
chlorid, toxicity to snails ... 196–197
in potato tubers, skins, and sprouts ... 629–634
nitrate, toxicity to snails ... 196
sprays, effect on potato sprouts, skins, and tubers ... 625–634
sulphate, toxicity to snails ... 196–208
Corn borer, European. See *Pyrausta nubilalis.*
Corn—
comparison with sunflowers for silage ... 787–793
See *Zea mays.*
Cornus canadensis, influence of cold in stimulating growth (Pl. 29) ... 151–160
Coronilla, host of *Gibberella saubinetii* ... 16
Correlation and Causation (paper) ... 557–585
Correlations for crop yields in different years 337–356
Cosmopterygidae, similarity of one species to *Pectinophora gossypiella* ... 820
Cossonus pinguis. Syn. *Caulophilus latinasus.*
Cotton, Richard T. (paper)—
Four Rhynchophora Attacking Corn in Storage ... 605–614
Rice Weevil, (Calandra) Sitophilus oryza. 409–422
Tamarind Pod-Borer, Sitophilus linearis (Herbst) ... 439–446
Cotton. See *Hibiscus lasiocarpus.*
Cotyledons, utilization of mineral constituents in soil and in distilled water ... 875–880
Couch, James F., and Giltner, Leigh T. (paper): An Experimental Study of Echinacea Therapy ... 63–84
Coville, Frederick V. (paper): The Influence of Cold in Stimulating the Growth of Plants ... 151–160
Cowpea nodule bacteria cultures, effect on milk ... 550
Cowpea-soybean bacteria, comparison with *Bacillus radicicola* and *B. radiobacter* ... Page 545–554
Crab, wild. See *Malus coronaria.*
Crambinae, similarity of one species to *Pectinophora gossypiella* ... 830–831
Cremastus facilis, parasite of *Pyrausta* sp ... 843
"Critical temperature" for fruit buds ... 655–662
Crocidosema plebiana—
difference from *Platynota rostrana* ... 821
similarity to *Pectinophora gossipiella* ... 807, 822
Crops, effect on water extract of soil ... 663–667
Crotonyl isothiocyanate—
in Chinese colza seed ... 127–132
physical constants ... 127
Crop growth, effect on physical state of soil. 397–404
Crownwart of Alfalfa Caused by Urophlyctis alfalfae (paper) ... 295–324
Crude fiber—
in Chinese colza seed ... 127
in sugar beet top silage ... 538–540
Crustaceans, susceptibility to copper salts ... 198
Cucurbita sp., host of *Gibberella saubinetii* ... 16
Cummins, A. B., and Kelley, W. P. (paper): Composition of Normal and Mottled Citrus Leaves ... 161–191
Cyanid, allyl, formation during maceration of Chinese colza seed ... 131
Cystin in potato protein ... 624
Daubentonia longifolia (Coffee Bean), a Poisonous Plant (paper) ... 507–514
Daubentonia longifolia—
lethal dose ... 512
pathological effects ... 511
symptoms of poisoning ... 510
Decodon verticillatus, water lenticels ... 256
Degree of Temperature to Which Soils Can Be Cooled without Freezing (paper) ... 267–269
Depressaria gossypiella. Syn. *Pectinophora gossypiella.*
Desiccation, effect on *Colletotrichum circinans* ... 698–699
Deterioration of sugars in storage ... 637–653
Detlefsen, J. A., and Carmichael, W. J. (paper): Inheritance of Syndactylism, Black, and Dilution in Swine ... 595–604
Dextrose in grapefruit ... 359–372
Diachasma—
fullawayi, parasite of *Ceratitis capitata* ... 424
tryoni, parasite of *Ceratitis capitata* ... 424
Dialyzed iron, effect on growth of rice ... 42–44
Diamino—
acids in potato sprouts ... 624
nitrogen in potato tubers, skins, and sprouts ... 628–634
Dicymolomia julianalis, similarity to *Pectinophora gossypiella* ... 807, 830–831
Dietz, H. F., and Barber, H. S. (paper): A New Avocado Weevil from the Canal Zone ... 111–116
Digitalis purpurea, growth on calcareous soil. 35
Dioxid, carbon—
effect on availability of potassium ... 618
in barn air ... 405–408
Diplococci in canned ripe olives ... 377–379
Disinfectants, chlorin ... 85–110
Dock, curled. See *Rumex crispus.*

Page

Dourine, inefficacy of echinacea against..... 80–82
Downy mildew of maize. See *Sclerospora* spp.
Drechsler, Charles, and Jones, Fred Reuel (paper): Crownwart of Alfalfa Caused by Urophlyctis alfalfae..... 295–324
Drying, effect on formaldehyde injury to seed wheat..... 231–242
Dryinidae, parasite of *Eutettix tenella*..... 251
Eaton, S. V., and Appleman, Charles O. (paper): Evaluation of Climatic Temperature Efficiency for the Ripening Processes in Sweetcorn..... 795–805
"Ebony, Mexican." See *Siderocarpus flexicaulis*.
Echinacea—
angustofolia, medicinal properties..... 63–84
purpurea. Syn. *Brauneria purpurea*.
Echinacea therapy..... 63–84
Edlefsen, N. E., and West, Frank L. (paper): Freezing of Fruit Buds..... 655–662
Edson, H. A. (paper): Vascular Discoloration of Irish Potato Tubers..... 277–294
Effect of Season and Crop Growth on the Physical State of the Soil (paper)..... 397–404
Effect of Various Crops upon the Water Extract of a Typical Silty Clay Loam Soil (paper)..... 663–667
Effects of X-Rays on Trichinae (paper)...845–854
Electrolytic hypochlorite solutions, effect of ammonia..... 102
Electrometric titration, indication of relation of calcium content of soil to reaction..... 855–868
Emmer, host of *Gibberella saubinetii*..... 16
Empoasca sp., host of *Abbella subflava*..... 250
Enarmonia tristrigana. Syn. *Laspeyresia tristrigana*.
Ennychia rufofascialis. Syn. *Noctuelia rufofascialis*.
Enzym in Chinese colza seed destroyed by tartaric acid..... 130
Enzymic action—
in *Pseudomonas citri* cultures..... 450–455
of *Rhizopus tritici* on starch..... 761–786
Ephestia ostrinella. Syn. *Moodna ostrinella*.
Epigaea repens, influence of cold in stimulating growth (Pl. 30)..... 151–160
Erodium—
cicutarium, host of *Eutettix tenella*..... 247
moschatum, host of *Eutettix tenella*..... 247
Erebinae, species collected on *Hibiscus lasiocarpus*, *Malvaviscus drummondii*, and *Abutilon incanum*..... 834
Ether—
ethyl, effect on formation of potato tubers.. 623
extract—
in Chinese colza seed..... 127
in sugar beet top silage..... 538–540
in sunflower and corn silage..... 881–888
Ethmia—
bittenella, similarity to *Pectinophora gossypiella*..... 819
delliella, reared from *Wissadula lozani*..... 819
Ethmiidae, similarity of certain species to *Pectinophora gossypiella*..... 819

Ethyl— Page
bromid, effect in stimulating sprouting of potato tubers..... 623
chlorid, effect in stimulating sprouting of potato tubers..... 623
ether, effect on formation of potato tubers. 623
Euchlaena luxurians, susceptibility to *Sclerospora spontanea*..... 671
Eucosma—
discretivana, n. sp..... 823–824
helianthana, similarity to *Pectinophora gossypiella*..... 824
obfuscana, similarity of *E. discretivana*... 823–824
plebeiana. Syn. *Crocidosema plebeiana*.
Eupatorium sp., shelter plants of *Pyrausta ainsliei*..... 839
"Eusol," value as disinfectant..... 86–110
Eutettix tenella—
description..... 245–246
life history..... 247–248
natural enemies..... 250–251
seasonal history..... 248–249
Evaluation of Climatic Temperature Efficiency for the Ripening processes in Sweetcorn (paper)..... 795–805
Evaporation, effect on formaldehyde injury to seed wheat..... 221–222
Ewing, Clare Olin, et al. (paper): Studies in Mustard Seeds and Substitutes: I. Chinese Colza (Brassica campestris chinoleifera Viehoever)..... 117–140
Exenterus diprioni, parasite of *Neodiprion lecontei*..... 757–758
Exorista vulgaris, parasite of *Pyrausta* sp..... 843
Experimental Study of Echinacea Therapy, An (paper)..... 63–84
Exponential indices of ripening in sweetcorn. 802–804
Extract, soil, relation to soil solution..... 381–395
Fagopyrum fagopyrum, food plant of *Pyrausta ainsliei*..... 838
Fasciola hepatica, liver fluke of cattle and sheep..... 194, 198
Feed, poultry, potential acidity and alkalinity..... 141–149
Ferric—
benzoate, availability to rice plants in calcareous and noncalcareous soils..... 50–54
chlorid—
availability to rice plants in calcareous and noncalcareous soils..... 50–54
effect on growth of rice..... 42–44
citrate—
availability to rice plants in calcareous and noncalcareous soils..... 50–54
effect on growth of rice..... 42–44
oxalate, availability to rice plants in calcareous and noncalcareous soils..... 50–54
tannate, availability to rice plants in calcareous and noncalcareous soils..... 50–54
tartrate—
availability to rice plants in calcareous and noncalcareous soils..... 50–54
effect on growth of rice..... 42–44

Ferric—Continued Page
valerianate, availability to rice plants in calcareous and noncalcareous soils..... 50-54
"Ferric humate," availability to rice plants in calcareous and noncalcareous soils.... 50-54
"Ferric molasses," availability to rice plants in calcareous and noncalcareous soils... 50-54
Ferrous sulphate—
availability to rice plants in calcareous and noncalcareous soils..... 50-54
effect on action of gypsum..... 38-44
Fertilizer, effect on composition of potato tubers, skins, and sprouts..... 632-634
Fiber, crude, in Chinese colza seed..... 127
Filaree. See *Erodium cicutarium.*
Fluke diseases, control by destruction of intermediate host..... 193-208
Fluminicola fusca, susceptibility to copper salts..... 199
Fluminicola, member of family Amnicolidæ. 198
Fluorid, potassium, effect on yield of volatile oil from Chinese colza seed..... 130-131
Footrot of cereals caused by *Gibberella saubinetii*..... 6-7
Formaldehyde—
injury to seed wheat..... 209-244
physical properties..... 218-223
Fortunella japonica, parent of limequat..... 469
Four Rhychophora Attacking Corn in Storage (paper)..... 605-614
Foxglove. See *Digitalis purpurea.*
Fraxinus, host of *Gibberella saubinetii*..... 16
Freezing, effect on *Colletotrichum circinans*. 699-700
Freezing of Fruit Buds (paper)..... 655-662
Freezing-point depression—
of dry seeds..... 592-593
of sap of normal and mottled orange leaves. 186-187
soil, effect of moisture..... 390-391
Freezing point of soils..... 267-269
Fruit buds, freezing..... 655-662
Further Studies in the Deterioration of Sugars in Storage (paper)..... 637-653
Fusarium—
arcuosporum, parasite on cereals..... 2, 21
arthrosporioides, parasite on cereals..... 2, 21
avenaceum—
causal organism of "snowmold"..... 20
parasite on cereals..... 2, 21
culmorum—
causal organism of "snowmold"..... 19
parasite on cereals..... 2, 21
similarity of conidia to those of *Gibberella saubinetii*..... 16
var. *leteius*, parasite on cereals..... 2, 21
didymium, casual organism of "snowmold". 20
discolor var. *sulphureum*, isolated from discolored potato tubers..... 282
graminearum. Syn. *Gibberella saubinetii.*
herbarum—
causal organism of "snowmold"..... 20
parasite on cereals..... 2, 21
lolii, causal organism of "snowmold"..... 20
metachroum, causal organism of "snowmold"..... 20
nivale, cause of "snowmold"..... 19
Fusarium—Continued Page
oxysporum—
failure to alter starch of Irish potato..... 765
isolated from discolored potato tubers. 280-282
var. *nicotianae*, n. var., causal organism of Fusarium-wilt of tobacco..... 521-536
radicicola, failure to alter starch of Irish potato..... 765
redolens, parasite on cereals..... 2, 21
roseum. Syn. *Gibberella saubinetii.*
rostratum. Syn. *Gibberella saubinetii.*
rubiginosum, causal organism of "snowmold"..... 19
scirpi, parasite on cereals..... 2, 21
solani, parasite on cereals..... 2, 21
sublatum, causal organism of "snowmold". 20
spp., cause of vascular necrosis of potato tubers..... 277
tabacivorum, causal organism of disease of tobacco..... 517-518
tropicalis. Syn. *Gibberella saubinetii.*
Fusarium-Blight (Scab) of Wheat and Other Cereals (paper)..... 1-32
Fusarium-Wilt of Tobacco (paper)..... 515-536
Garlic. See *Allium sativum.*
Gasoline, effect in stimulating sprouting of potato tubers..... 623
Gastrodiscus, intestinal fluke in Tropics..... 194
Gelechia—
bosquella, similarity to *Borkhausenia diveni* and *Noctuelia rufofascialis*..... 811
hibiscella—
similarity of *G. neotrophella*..... 812
similarity to *Pectinophora gossypiella*... 810-811
malvella. Syn. *Pectinophora malvella.*
neotrophella, n. sp..... 811-812
similiella. Syn. *Isophrictis similiella.*
trophella, similarity of *G. neotrophella*..... 812
Gelechiidae, similarity of certain species to *Pectinophora gossypiella*..... 808-814
Germicidal value of chlorin disinfectants.... 85-110
Germination of wheat, effect of formaldehyde..... 211-244
Glyphodes pyloalis, leaf-tying pyralid..... 830
Gibbera pulicaris f. *zeae maydis*. Syn. *Gibberella saubinetii.*
Gibberella—
saubinetii—
description..... 4-9, 15-19
dissemination of spores..... 11-13
economic importance..... 3
hosts..... 1-9, 16
life history..... 9-11
parasite on cereals..... 1-32
tritici. Syn. *G. saubinetii.*
Gile, P. L., and Carrero, J. O. (paper): Cause of Lime-Induced Chlorosis and Availability of Iron in the Soil..... 33-62
Giltner, Leigh T., and Couch, James F. (paper): An Experimental Study of Echinacea Therapy..... 63-84
Gingko biloba, hypertrophied lenticels..... 255
Girdling, influence in stimulating growth of plants..... 155
Gleditschia, host of *Gibberella saubinetii*..... 16

Page

Globulin in potato protein..... 624
Gloeosporium—
fructigenum, growth of hyphae..... 703
limetticolum, parasite of *Citrus medica*..... 724
Glomerella cingulata, relation to *Colletotrichum gloeosporioides*..... 725
Glucose, effect on hydrolysis of starch by *Rhizopus tritici*..... 768–769
Glutaminic acid. See Acid, glutaminic.
Glyceria aquatica, host of *Gibberella saubinetii*. 16
Goldenrod. See *Solidago* spp.
Gonatopus contortulus, host of *Eutettix tenella* 251
Goniobasis, akin to Melania..... 198
Goniobasis plicifera, susceptibility to copper salts..... 199
Gram-negative bacilli in canned ripeo lives 377–379
Gram-positive bacilla in canned ripe olives 377–379
Grapefruit. See *Citrus decumana* and *C. grandis*.
Grass, buganğ. See *Saccharum spontaneum*.
Grasses, hosts of *Gibberella saubinetii*..... 1–32
Green Feed versus Antiseptics as a Preventive of Intestinal Disorders of Growing Chicks (paper)..... 869–873
Grouseberry. See *Viburnum americanum*.
Growth, effect on composition of potato tubers, skins, and sprouts..... 632–634
Growth of plants, influence of cold..... 151–160
Gyneria, host of *Gibberella saubinetii*..... 16
Gypsum, effect on—
availability of potassium..... 616–617
growth of rice..... 40–42
Hahn, Glenn G., Hartley, Carl, and Rhoads, Arthur S. (paper): Hypertrophied Lenticels on the Roots of Conifers and Their Relation to Moisture and Aeration..... 253–266
Hansen, Roy, and Löhnis, F. (paper): Nodule Bacteria of Leguminous Plants..... 543–556
Harris, J. Arthur, and Scofield, C. S. (paper): Permanence of Differences in the Plots of an Experimental Field..... 335–356
Harter, L. L. (paper): Amylase of Rhizopus tritici with a Consideration of Its Secretion and Action..... 761–786
Hartley, Carl, et al. (paper): Hypertrophied Lenticels on the Roots of Conifers and Their Relation to Moisture and Aeration..... 253–266
Hawkins, Lon A., and Magness, J. R. (paper): Some Changes in Florida Grapefruit in Storage..... 357–373
Heather. See *Calluna vulgaris*.
Hedera helix, composition of green and albino leaves..... 179
Heilipus—
lauri, avocado weevil..... 111–116
persae, new avocado weevil..... 111–116
pittieri, avocado weevil..... 111–116
Heinrich, Carl (paper): Some Lepidoptera Likely to Be Confused with the Pink Bollworm..... 807–836
Heliothis—
armiger. Syn. *H. obsoleta*.
(*Chloridea*)—
obsoleta, similarity to *Pectinophora gossypiella*..... 833
virescens, similarity to *H. obsoleta*..... 833

Page

Helix pomatia, copper content of body..... 200
Hendry, Mary F., and Johnson, Alice (paper): Carbon-Dioxid Content of Barn Air..... 405–408
Heterogeneity in experimental plots..... 335–356
Hibiscus—
esculentus, food plant of—
Crocidosema plebeiana..... 822
Platynota rostrana..... 821
lasiocarpus, food plant of—
Gelechia hibiscella..... 810–811
Pectinophora gossypiella..... 807–836
militaris, food plant of—
Crocidosema plebeiana..... 822
Gelechia hibiscella..... 810–811
rosa-sinensis, food plant of *Crocidosema plebeiana*..... 822
Hickman, C. W., et al. (paper): Sunflower Digestion Experiment with Cattle and Sheep..... 881–888
Highbush blueberry. See *Vaccinium corymbosum*.
Histidin in potato protein..... 624
Hoagland, D. R., and Martin, J. C. (paper): Effect of Season and Crop Growth on the Physical State of the Soil..... 397–404
Hoagland, D. R., Martin, J. C., and Stewart, G. R. (paper): Relation of the Soil Solution to the Soil Extract..... 381–395
Holcocera—
confamulella, n. sp..... 818–819
modestella, similarity of *H. confamulella*.... 819
ochrocephala, similarity to *Pectinophora gossypiella*..... 818
Holly. See *Ilex aquifolium*.
Hollyhock. See *Althaea rosea*.
Homoeosoma electellum, similarity to *Pectinophora gossypiella*..... 831–832
Hordeum spp.—
effect on water extract of soil..... 663–667
susceptibility to formaldehyde injury... 240–241
"Humate, ferric," availability to rice plants in calcareous and noncalcareous soils..... 50–54
Humidity—
effect on—
formaldehyde injury to seed wheat.... 223–231
growth of *Pseudomonas citri*..... 447–506
relation to—
deterioration of sugars in storage..... 642–653
freezing of fruit buds..... 655–662
Hurd, Annie May (paper): Injury to Seed Wheat Resulting from Drying after Disinfection with Formaldehyde..... 209–244
Hydrate nitrogen, ammonium, in potato tubers, skins, and sprouts..... 628–634
Hydrochloric acid. See Acid, hydrochloric.
Hydrogen-ion concentration—
changes in tempering of wheat..... 272–275
of sap of normal and mottled orange leaves..... 186–187
Hydrolysis of—
starch by *Rhizopus tritici*..... 765–783
sugar in ripening of sweetcorn..... 795–805
Hydroxid, potassium, effect on yield of volatile oil from Chinese colza seed..... 130–131
Hypertrophied Lenticels on the Roots of Conifers and Their Relation to Moisture and Aeration (paper)..... 253–266

Hypochlorite— Page
calcium, value as disinfectant..... 86–110
sodium, value as disinfectant..... 86–110
solutions, electrolytic, effect of ammonia... 102
Hypochlorous acid. See Acid, hypochlorous.
Hypostena variabilis, parasite of *Pyrausta* sp.. 843
Ilex aquifolium, composition of green and albino leaves..... 179
Imperata cylindracea, immunity to *Sclerospora spontanea*..... 671
Influence of Cold in Stimulating the Growth of Plants, The (paper)..... 151–160
Influence of Temperature and Humidity on the Growth of Pseudomonas citri and Its Host Plants and on Infection and Development of the Disease (paper)..... 447–506
Inheritance of Syndactylism, Black, and Dilution in Swine (paper)..... 595–604
Injury to Seed Wheat Resulting from Drying after Disinfection with Formaldehyde (paper)..... 209–244
Inorganic iron compounds, availability to rice plants in calcareous and noncalcareous soils 50–54
Intestinal disorders of chicks, green feed versus antiseptics as preventive..... 869–873
Inula helenium, ingredient of "Subculoyd Inula and Echinacea"..... 65
Investigations of the Germicidal Value of Some of the Chlorin Disinfectants (paper). 85–110
Iodin number on ether extract of Chinese colza seed..... 127
Ipomoea batatas, host of *Gibberella saubinetii*.. 16
Iron—
availability to rice plants..... 47–58
compounds, availability to rice plants in calcareous and noncalcareous soils..... 50–54
dialyzed, effect on growth of rice..... 42–44
effect of—
carbonate of lime on availability in soil.. 47–49
soil water on availability..... 54–58
effect on—
chlorotic plants..... 38–39
growth of rice..... 41–47
in normal and mottled citrus leaves..... 166–190
in plants grown with ferrous sulphate and gypsum..... 42
in plants grown with sodium bicarbonate and sprayed with lime and iron salts.... 46
in soil..... 33–62
in southern poultry feeds..... 143
Irish potato. See *Solanum tuberosum*.
Isophrictis similiella, similiarity to *Pectinophora gossypiella*..... 813–814
Isothiocyanate—
allyl, physical constants..... 127
crotonyl—
in Chinese colza seed..... 127–132
physical constants..... 127
para-oxybenzyl, difference from crotonyl isothiocyanate..... 135
Ivey, J. E., and Kaupp, B. F. (paper): Study of Some Poultry Feed Mixtures with Reference to Their Potential Acidity and Their Potential Alkalinity: I..... 141–149
Ivy. See *Hedera helix*.
Jack pine. See *Pinus banksiana*.
Jagger, Ivan C. (paper)— Page
Sclerotinia minor, n. sp., the Cause of a Decay of Lettuce, Celery, and Other Crops..... 331–334
Transmissible Mosaic Disease of Lettuce, A..... 737–740
Japan clover nodule bacteria cultures, effect on milk..... 550
Jasmine, yellow bush. See *Jasminum nudiflorum*.
Jasminum nudiflorum, influence of cold in stimulating growth..... 158
Job's tears. See *Coix lachryma*.
Johnson, Alice, and Hendry, Mary F. (paper): Carbon-Dioxid Content of Barn Air..... 405–408
Johnson, James (paper): Fusarium-Wilt of Tobacco..... 515–536
Jones, Fred Reuel, and Drechsler, Charles (paper): Crownwart of Alfalfa Caused by Urophlyctis alfalfae..... 295–324
Juglans, host of *Gibberella saubinetii*..... 16
Juniperus virginiana, immunity from hypertrophied lenticels..... 255
Kaupp, B. F., and Ivey, J. E. (paper): Study of Some Poultry Feed Mixtures with Reference to Their Potential Acidity and Their Potential Alkalinity: I..... 141–149
Kelley, W. P., and Cummins, A. B. (paper): Composition of Normal and Mottled Citrus Leaves..... 161–191
Kennard, D. C., et al. (paper): Green Feed versus Antiseptics as a Preventive of Intestinal Disorders of Growing Chicks..... 869–873
Kopeloff, Nicholas, Perkins, H. Z. E., and Welcome, C. J. (paper): Further Studies in the Deterioration of Sugars in Storage... 637–653
Koser, Stewart A. (paper): A Bacteriological Study of Canned Ripe Olives..... 375–379
Kosteleyzkya spp., food plants of—
Crocidosema plebiana..... 822
Gelechia hibiscella..... 810–811
Meskea thyridinae..... 828–829
Kundmannia sicula, host *Urophlyctis alfalfae*. 308
Lactic acid. See Acid, lactic.
Lagorotis—
diprioni, parasite of *Neodiprion lecontei*.. 757–758
virginiana, parasite of *Neodiprion lecontei*..... 757–758
Lantana horrida, food plant of *Borkhausenia diveni*..... 815
Larch, American. See *Larix americana*.
Larix—
americana, host of *Neodiprion lecontei*..... 757
laricina—
hypertrophied lenticels..... 255–266
influence of cold in stimulating growth (Pl. 21)..... 151–160
Larunda palmii. Syn. *Zenodorus palmii*.
Larvae of aquatic insects, susceptibility to copper salts..... 198
Laspeyresia tristrigana, similarity to *Pectinophora gossypiella*..... 824–825
Latshaw, W. L., et al. (paper): Relation of the Calcium Content of Some Kansas Soils to the Soil Reaction as Determined by the Electrometric Titration..... 855–868

Latuca sativa— Page
host of *Sclerotinia minor* 331-334
transmissible mosaic disease 737-740
Leafhopper, beet. See *Eutettix tenella*.
LeConte's Sawfly, an Enemy of Young Pines (paper) 741-760
Leek. See *Allium porrum*.
Leguminous plants, nodule bacteria 543-556
Lemon leaves, composition 167-174
Lenticels, hypertrophied, on the roots of conifers 253-266
Lepidoptera resembling pink bollworm 807-836
Lettuce. See *Latuca sativa*.
Leucin in potato sprouts 624
Life history and habits of the beet leafhopper 245-252
Ligustrum aurea, composition of green and albino leaves 182
Lime—
carbonate, effect on availability of iron in soil 47-49
cause of chlorosis in plants 33-62
chlorinated, influence on effect of copper sulphate in water 202
effect on—
availability of potassium 617
growth of rice 44-47
in plants grown with ferrous sulphate and gypsum 42
in plants grown with sodium bicarbonate and sprayed with lime and iron salts 46
Limnaea—
bulimoides, susceptibility to copper salts .. 199-200
(*Galba*) *bulimoides*, susceptibility to various salt solutions 196-208
proxima rowelli, susceptibility to copper salts 199
spp., intermediate hosts of flukes 195-208
Liver flukes, control by destruction of intermediate host 193-208
Loblolly pine. See *Pinus taeda*.
Locust, black, nodule bacteria cultures, effect on milk 550
Löhnis, F., and Hansen, Roy (paper): Nodule Bacteria of Leguminous Plants 543-556
Longleaf pine. See *Pinus palustris*.
Lung flukes, control by destruction of intermediate host 193-208
Lupine nodule bacteria cultures, effect on milk 550
Lupinus—
angustifolius, calcifugous 34
luteus, calcifugous nature 34
Lycaenidae, pests of Malvaceae 834
Lysin in potato protein 624
McCool, M. M., and Bouyoucos, George J. (paper): Measurement of the Amount of Water That Seeds Cause to Become Unfree and Their Water-Soluble Material 587-593
Macrosporium—
parasiticum, parasite of *Allium* spp 687-688
porri, parasite of *Allium* spp 687-688
Magnesia in plants grown with—
ferrous sulphate and gypsum 42
sodium bicarbonate and sprayed with lime and iron salts 46
Magnesium— Page
in bean seedlings 878
in cropped and uncropped soils 663-667
in normal and mottled citrus leaves 166-190
in soil extract 387-394
in southern poultry feeds 143
oxid in potato tubers, skins, and sprouts ... 633
Magness, J. R., and Hawkins, Lon A. (paper): Some Changes in Florida Grapefruit in Storage 357-373
Maize. See *Zea mays*.
Malus coronaria, influence of cold in stimulating growth (Pl. 22) 131-160
Malvastrum—
spicatum, food plant of *Crocidosema plebeiana* 822
sp., food plant of *Telphusa mariona* 812
Malvaviscus drummondii, food plant of—
Bagisara rectifascia 834
Crocidosema plebeiana 822
Heliothis obsoleta 833
Meskea thyridinae 828-829
Platynota rostrana 821
Manganese—
chlorid, effect on formation of potato tubers. 623
in normal and mottled citrus leaves 167
Manhatta ostrinella. Syn. *Moodna ostrinella*.
Maple. See *Acer negundo*.
Maritime pine. See *Pinus pinaster*.
Marsh, C. Dwight, and Clawson, A. B. (paper): Daubentonia longifolia (Coffee Bean), a Poisonous Plant 507-514
Martin, J. C., and Stewart, G. R. (paper): Effect of Various Crops upon the Water Extract of a Typical Silty Clay Loam Soil 663-667
Martin, J. C., and Hoagland, D. R. (paper): Effect of Season and Crop Growth on the Physical State of the Soil 397-404
Martin, J. C., et al. (paper): Relation of the Soil Solution to the Soil Extract 381-395
Measurement of the Amount of Water That Seeds Cause to Become Unfree and Their Water-Soluble Material (paper) 587-593
Medicago—
denticulata, host of *Urophlyctis alfalfae* in Argentina 296
falcata, host of *Urophlyctis alfalfae* 296
sativa, host of—
Gibberella saubinetii 16
Urophlyctis alfalfae 295-324
Melania, intermediate host of Paragonimus, Metagonimus, and Clonorchis 198
Melanotaenium alismatis. Syn. *Physoderma maculare*.
Melilotus alba, growth of *Gibberella saubinetii* cultures on 18
Melon fly. See *Bactrocera cucurbitae*.
Mentha aquatica, host of *Physoderma menthae*. 313
Meraporus—
calandrae, parasite of *Sitophilus oryza* 422
requisitus, parasite of *Sitophilus oryza* 422
utibilis, parasite of *Sitophilus oryza* 422
Mercuric bichlorid, toxity to snails 156
Meskea dyspteraria, similarity to *Pectinophora gossypiella* 828-829

Page

Metagonimus, parasite of Melania..... 198
"Mexican ebony." See *Siderocarpus flexicaulis.*
Microbracon sp., parasite of *Pyrausta* sp..... 843
Microorganisms, relation to deterioration of sugars in storage..... 637-653
Middleton, William (paper): LeConte's Sawfly, an Enemy of Young Pines..... 741-760
Mildew, downy, of maize. See *Sclerospora* spp.
Mimosa berlandieri, food plant of *Gelechia neotrophella*..... 811-812
Mimusops elengi, host fruit of *Ceratitis capitata*..... 425
Mineral content of—
bean cotyledons, utilization in soil and in distilled water..... 875-880
southern poultry feeds..... 143
Miscanthus japonicus, susceptibility to *Sclerospora spontanea*..... 671
Moisture—
effect on freezing-point depression of soil. 390-391
in Chinese colza seed..... 127
influence on formaldehyde injury to seed wheat..... 238-240
in sugars in storage..... 638-653
in sunflower silage..... 883
in sweetcorn..... 799
relation to hypertrophied lenticels on the roots of conifers..... 253-266
soil, effect on Fusarium-wilt of tobacco.... 529
Molasses, availability to rice plants in calcareous and noncalcareous soils..... 50-54
"Molasses, ferric," availability to rice plants in calcareous and noncalcareous soils..... 50-54
Mold. See *Aspergillus terreus.*
Molds—
attacking wheat treated with formaldehyde 215
in sugars in storage..... 638-653
Momordica charantia, host of *Chaetodacus cucurbitae*..... 431
Monoamino nitrogen in potato tubers, skins, and sprouts..... 624, 628-634
Monilia sitophila, enzymic action..... 778
Moodna ostrinella, similarity to *Pectinophora gossypiella*..... 831-832
Mosaic disease of lettuce..... 737-740
Mugho pine. See *Pinus mughus.*
Mustard substitutes..... 117-140
Myrosin, effect on yield of volatile oil from Chinese colza seed..... 130-131
Myzus persicae, carrier of mosaic disease of lettuce..... 738-739
Navy bean nodule bacteria cultures, effect on milk..... 550
Nebulium sp., seeds host of *Sitophilus oryza*.. 410
Nectaria (later *Colonectria*) *graminicola*, conidia cause of "snowmold"..... 19
Neidig, Ray E. (paper): Sugar Beet Top Silage..... 537-542
Neidig, Ray E., Snyder, Robert S., and Hickman, C. W. (paper): Sunflower Silage Digestion Experiment with Cattle and Sheep..... 881-888

Page

Nelumbo lutea, not food plant of *Pyrausta ainsliei*..... 838
Neocatolaccus australiensis, parasite of *Sitophilus oryza*..... 422
Neodiprion lecontei—
control..... 759-760
description..... 741-750
distribution..... 758
economic importance..... 758-759
effect of weather..... 753-754
hosts..... 756
life history..... 750-753
mating..... 754-755
oviposition..... 755-756
parasites..... 757-758
Neopales maera, parasite of *Neodiprion lecontei*..... 757-758
New Avocado Weevil from the Canal Zone, A (paper)..... 111-116
Nicotiana—
glauca, host of *Fusarium oxysporum* var. *nicotianae*..... 524-525
rustica, host of *Fusarium oxysporum* var. *nicotianae*..... 525
tabacum, host of *Fusarium oxysporum* var. *nicotianae*, n. var..... 515-536
Nitrate—
copper, toxicity to snails..... 196
effect on availability of potassium..... 616-617
in soil extract..... 387-394
Nitrates in cropped and uncropped soils.... 663-667
Nitric acid. See Acid, nitric.
Nitrogen—
effect on availability of potassium..... 616-617
in allyl and crotonyl isothiocyanate..... 127
in feces of chicks..... 872-873
in normal and mottled citrus leaves..... 166-190
in plants grown with sodium bicarbonate and sprayed with lime and iron salts.... 46
in potato tubers, skins, and sprouts.. 623, 628-634
in wheat, changes due to tempering..... 272-275
monoamino, in potato sprouts..... 624
Nitrogen-free extract in sunflower and corn silage..... 881-888
Noctua virescens. Syn. *Heliothis virescens.*
Noctuelia—
rufofascialis, similarity to *Pectinophora gossypiella*..... 829-830
thalialis. Syn. *N. rufofascialis.*
Noctuidae, similarity of certain species to *Pectinophora gossypiella*..... 833
Nodule Bacteria of Leguminous Plants (paper)..... 543-556
Nonadditive factors in correlation and causation..... 563-564
Nonlinear relations in correlation and causation..... 564-565
Nonprotein nitrogen in potato sprouts..... 623
Non-spore-forming bacilli in canned ripe olives..... 377-379
Nutritive ratio of sunflower and corn silage. 881-888
Oats. See *Avena sativa.*
Odontiles rubra, host of *Urophlyctis magnusiana*..... 313

Page

Oecophoridae, similarity of one species to *Pectinophora gossypiella*..... 814-816
Oedematophorus—
kellicotti, similarity of *O. venapunctus*..... 827
paleaceus, similarity of *O. venapunctus*..... 827
stramineus, similarity of *O. venapunctus*..... 827
venapunctus, n. sp..... 827-828
Oil, volatile, in Chinese colza seed..... 127-132
Okra. See *Hibiscus esculentus*.
Olethreutidae, similarity of certain species to *Pectinophora gossypiella*..... 822
Olives, bacteria in cans..... 375-379
Olpidium viciae, cytological similarity to *Urophlyctis alfalfae*..... 309
Onion Smudge (paper)..... 685-722
Opius—
fletcheri as a Parasite of the Melon Fly in Hawaii (paper)..... 423-438
humilis, parasite of *Ceratitis capitata*..... 424
Organic—
iron compounds, availability to rice plants in calcareous and noncalcareous soils..... 50-54
matter, effect on—
efficacy of chlorin disinfectants..... 89-110
Fusarium-wilt of tobacco..... 529
influence of copper sulphate in water.. 200-203
Orthoclase solutions, concentration of potassium not a measure of availability to wheat seedlings..... 615-621
Oryza sativa, growth on calcareous soil..... 38-58
Osmotic pressure—
in plants..... 156-157
of dry seeds..... 592-593
Overwintering of *Gibberella saubinetii*..... 14-15
Oxalate, ferric, avalability to rice plants in calcareous and noncalcareous soils..... 50-54
Oxid—
calcium, in potato tubers, skins, and sprouts 633
magnesium, in potato tubers, skins, and sprouts..... 633
potassium, absorption by plants..... 616-617
Oxidation of potassium, effect on availability..... 619-621
Oxygen, effect on hypertrophy of conifers.. 259-262
Pachyzancla bipunctalis, similarity to *Pectinophora gossypiella*..... 830
Pak-choi. See *Brassica campestris chinensis*.
Paltodora similiella. Syn. *Isophrictis similiella*.
(*Panzeria*) *Pyraustomyia penitalis*, parasite of *Pyrausta ainsliei*..... 843-844
Paraformaldehyde—
injury to seed wheat..... 211-244
physical properties..... 218-223
Paragonimus—
lung fluke..... 193-195
parasite of Melania..... 198
Para-oxybenzyl isothiocyanate, difference from crotonyl isothiocyanate..... 135
Paranthrene palmii. Syn. *Zenodoxus palmii*.
Pathological Anatomy of Potato Blackleg (paper)..... 325-330
Peanut nodule bacteria cultures, effect on milk..... 550

Pectinophora— Page
gossypiella, similar Lepidoptera..... 807-836
malvella, similarity to *P. gossypiella*..... 809
Pediculoides ventricosus, parasite of *Sitophilus*—
linearis..... 443
oryza..... 421
Peltier, George L. (paper): Influence of Temperature and Humidity on the Growth of Pseudomonas citri and Its Host Plants and on Infection and Development of the Disease..... 447-506
Penicillium—
biforme, enzymic action..... 779
camemberti, enzymic action..... 778
glaucum, enzymic action..... 778-779
sp., attacking wheat treated with formaldehyde..... 215
Perilampus hyalinus, parasite of *Neodiprion lecontei*..... 757-758
Perkins, H. Z. E., et al. (paper): Further Studies in the Deterioration of Sugars in Storage..... 637-653
Permanence of Differences in the Plots of an Experimental Field (paper)..... 335-356
Pe-tsai. See *Brassica campestris pekinsis*.
Phalaena bipunctalis. Syn. *Pachyzancla bipunctalis*.
Phalonia cephalanthana, n. sp..... 825-826
Phalonidae, similarity of one species to *Pectinophora gossypiella*..... 825-826
Phaseolus vulgaris, mineral content of cotyledons..... 875-876
Phenylalanin in potato protein..... 624
Phenylthiourea in allyl and crotonyl isothiocyanate..... 127
Philips, A. G., Carr, R. H., and Kennard, D. C. (paper): Green Feed versus Antiseptics as a Preventive of Intestinal Disorders of Growing Chicks..... 869-873
Phelum pratense—
host of *Gibberella saubinetii*..... 16
shelter plant of *Pyrausta ainsliei*..... 839
Phoma alliicola—
parasite of *Allium* spp..... 687-688
similarity to *Colletotrichum circinans*..... 718
Phorocera—
claripennis, parasite of *Neodiprion lecontei*..... 757-758
comstocki, parasite of *Pyrausta* sp..... 843
Phosphate—
calcium, effect on growth of plants..... 40-44
in normal and mottled citrus leaves..... 166-190
in soil extract..... 387-394
sodium, effect on availability of potassium..... 616-617
Phosphoric acid. See Acid, phosphoric.
Phosphorus—
in bean cotyledons..... 878
in normal and mottled citrus leaves..... 166-190
in southern poultry feeds..... 143
water-soluble in wheat, changes due to tempering..... 272-275
Phycitinae, similarity of certain species to *Pectinophora gossypiella*..... 831-832

Physa— Page
nuttalli, susceptibility to copper salts.... 199-200
occidentalis, susceptibility to copper salts.. 199
Physoderma—
agrostidis, morphology..... 313-314
butmio, morphology..... 313
calami, morphology..... 314
(*Cladochytrium*)—
butomi, similarity to *Urophlyctis alfalfae*.. 305
flammulae..... 305
maculare, similarity to *Urophlyctis alfalfae*. 306
comari, morphology..... 313
eleocharidis, morphology..... 313
gerhardti, morphology..... 313
graminis, morphology..... 313
hipurides, morphology..... 314
iridis, morphology..... 313
maculare, morphology..... 313
menthae, morphology..... 313
menyanthis, method of germination..... 314
(*Protomyces*) *menyanthis*, similarity to *Urophlyctis alfalfae*..... 305
schroeteri, morphology..... 313
sparganii, morphology..... 314
speciosum, morphology..... 314
vagans, morphology..... 313
zeae-maydis, morphology..... 313
Physopsis, intermediate host of *Schistosoma haematobium* and *S. mansoni*..... 198
Phytolacca, host of *Gibberella saubinetii*..... 16
Picea—
canadensis, hypertrophied lenticels..... 255-266
mariana, hypertrophied lenticels..... 255-266
pungens, hypertrophied lenticels..... 255-266
rubens, hypertrophied lenticels..... 255-266
Pigweed. See *Amaranthus hybridus*.
Pimpinella nigra, host of *Urophlyctis kriegeriana*..... 313
Pine—
Austrian. See *Pinus austriaca*.
jack. See *Pinus banksiana*.
loblolly. See *Pinus taeda*.
longleaf. See *Pinus palustris*.
maritime. See *Pinus pinaster*.
mugho. See *Pinus mughus*.
red. See *Pinus resinosa*.
Scotch. See *Pinus sylvestris*.
scrub. See *Pinus virginiana*.
shore. See *Pinus contorta*.
silver. See *Pinus monticola*.
western yellow. See *Pinus ponderosa*.
white. See *Pinus strobus*.
yellow. See *Pinus ponderosa*.
Pink bollworm, similar lepidoptera..... 807-836
Pinus—
austriaca, host of *Neodiprion lecontei*..... 757
banksiana—
host of *Neodiprion lecontei*..... 756-757
hypertrophied lenticels..... 255-266
caribaea, hypertrophied lenticels..... 255-266
contorta, host of *Neodiprion lecontei*..... 757
coulteri, hypertrophied lenticels..... 255-266
eldarica, host of *Neodiprion lecontei*..... 757
excelsa, hypertrophied lenticels..... 255-266
maritima, hypertrophied lenticels..... 255
Pinus—Continued Page
monticola—
host of *Neodiprion lecontei*..... 757
hypertrophied lenticels..... 255-266
mughus, host of *Neodiprion lecontei*..... 757
palustris, host of *Neodiprion lecontei*..... 757
pinaster, calcifugous nature..... 34
ponderosa—
host of *Neodiprion lecontei*..... 757
hypertrophied lenticels..... 253-266
var. *scopulorum*, hypertrophied lenticels..... 253-266
resinosa—
host of *Neodiprion lecontei*..... 757
hypertrophied lenticels..... 255-266
rigida, hypertrophied lenticels..... 255-266
strobus—
host of *Neodiprion lecontei*..... 757
hypertrophied lenticels..... 255-266
sylvestris—
host of *Neodiprion lecontei*..... 757
hypertrophied lenticels..... 255-266
taeda, host of *Neodiprion lecontei*..... 757
virginiana—
host of *Neodiprion lecontei*..... 757
hypertrophied lenticels..... 255-266
Pipunculus—
industrius, parasite of *Eutettix tenella*..... 250-251
vagabundus, parasite of *Eutettix tenella*... 250-251
Planorbis callioglyptus—
intermediate host of *Schistosoma haematobium* and *S. mansoni*..... 198
susceptibility to copper salts..... 199
Plant growth, influence of cold..... 151-160
Plants, transpiration, correlation and causation..... 575-585
Platyedra vilella, similarity to *P. gossypiella*.. 809
Platynota—
flavedana, similarity to *P. rostrana*..... 822
rostrana, similarity to *Pectinophora gossypiella*..... 821-822
Pod-borer, tamarind. See *Sitophilus linearis*.
Polarization of sugars in storage.....638-653
Polygonum—
hydropiperoides, food plant of *Pyrausta ainsliei*..... 838
incarnatum. Syn. *P. lapathifolium*.
lapathifolium, food plant of *Pyrausta ainsliei*..... 838
pennsylvanicum, food plant of *Pyrausta ainsliei*..... 837-844
persicaria, food plant of *Pyrausta ainsliei*... 838
Polynema eutettixi, parasite of *Eutettix tenella*. 250
Poncirus trifoliata, influence of temperature on—
development of *Pseudomonas citri*..... 483-488
growth..... 459-471
rest period..... 459
Potash—
in plants grown with—
ferrous sulphate and gypsum..... 42
sodium bicarbonate and sprayed with lime and iron salts..... 46
See Potassium.

Potassium— Page
chlorid—
adsorption by plants ... 616-617
effect on concentration of soil solution ... 393
concentration in orthoclase solutions not a measure of its availability to wheat seedlings ... 615-621
fluorid, effect on yield of volatile oil from Chinese colza seed ... 130-131
hydroxid, effect on yield of volatile oil from Chinese colza seed ... 130-131
in cropped and uncropped soils ... 663-667
in normal and mottled citrus leaves ... 166-190
in soil extract ... 387-394
in southern poultry feeds ... 143
oxid, absorption by plants ... 616-617
sulphate, effect on concentration of soil extract ... 388-389
Potato. See *Solanum tuberosum.*
Poultry feed mixtures, potential acidity and alkalinity ... 141-149
Privet. See *Ligustrum aurea.*
Prolin in potato protein ... 624
Propionic acid. See Acid, propionic.
Protein—
calories in various poultry feeds ... 147
crystals due to potato blackleg ... 326-330
in Chinese colza seed ... 127
in sugar beet top silage ... 538-540
in sunflower and corn silage ... 881-888
Proteins, effect on freezing-point depression of seeds ... 593
Proteus bacilli in canned ripe olives ... 377-379
Pruning—
influence in stimulating growth of plants ... 155
top, effect on hypertrophy of conifers ... 258
Psecadia delliella. Syn. *Ethmia delliella.*
Pseudomonas—
citri, influence of temperature and humidity ... 447-506
japonica, possible name for cowpea-soybean nodule bacteria ... 551
radicicola. Syn. *Bacillus radicicola.*
tumefaciens, causal organism of bacterial crowngall ... 295
Pterophoridae, similarity of one species to *Pectinophora gossypiella* ... 827-828
Pyralidae, similarity of certain species to *Pectinophora gossypiella* ... 828-834
Pyrausta—
ainsliei—
control ... 843-844
hosts ... 837
seasonal history ... 839-840
nubilalis, similarity of *P. ainsliei* ... 837
obumbratalis. Syn. *P. ainsliei.*
penitalis, similarity of *P. ainsliei* ... 837
Pyraustinae, similarity of certain species to *Pectinophora gossypiella* ... 829-830
Pyraustomyia penitalis, parasite of *Pyrausta ainsliei* ... 843-844
Pyroderces rileyi, similarity to—
Pectinophora gossypiella ... 820
Telphusa mariona ... 813
Zenodochium citricolella ... 818-819
Ragweed. See *Ambrosia trifida* and *A. artemisiaefolia.*
Rain, influence in dissemination of spores of *Gibberella saubinetii* ... 12-13
Rattlesnake venin, inefficacy of echinacea against ... 75-77
Reaction, soil, effect on Fusarium-wilt of tobacco ... 528-529
Red clover nodule bacteria cultures, effect on milk ... 550
Red pine. See *Pinus resinosa.*
Reducing sugars—
in grapefruit ... 359-373
in sugars in storage ... 638-653
Relation of the Calcium Content of Some Kansas Soils to the Soil Reaction as Determined by the Electrometric Titration (paper). 855-868
Relation of the Soil Solution to the Soil Extract (paper) ... 381-395
"Resting," relation to chilling of plants ... 159
Rhizobacterium japonicum, name given by Kirchner to soybean nodule bacterium ... 551
Rhizopus—
nigricans, similarity to *R. tritici* ... 761
sp., attacking wheat treated with formaldehyde ... 215
tritici, secretion and action of amylase ... 761-789
Rhoads, Arthur S., et al. (paper): Hypertrophied Lenticels on the Roots of Conifers and Their Relation to Moisture and Aeration 253-266
Rhus copallina, water lenticels ... 256
Rhyncholus latinasus. Syn. *Caulophilus latinasus.*
Rhynchophora attacking corn in storage ... 605-614
Rhynchophorus linearis. Syn. *Sitophilus linearis.*
Rice, growth on calcareous soil ... 38-58
Rice Weevil, (Calandra) Sitophilus oryza (paper) ... 409-422
Ripening of sweetcorn, effect of climatic temperature ... 795-805
Robinia, host of *Gibberella saubinetii* ... 16
Rootrot of cereals caused by *Fusarium* spp. and *Gibberella saubinetii* ... 2
Rottboellia exaltata, immunity to *Sclerospora spontanea* ... 671
Rubus, host of *Gibberella saubinetii* ... 16
Rudbeckia—
pallida. Syn. *Brauneria atrorubens.*
purpurea. Syn. *Brauneria purpurea.*
Rumex—
britannica, host of *Urophlyctis major* ... 313
crispus, food plant of *Pyrausta ainsliei* ... 838
scutatus, host of *Urophlyctis rubsaameni* ... 313
Rusk citrange, influence of—
humidity on development of *Pseudomonas citri* ... 494-497
temperature on development of *Pseudomonas citri* ... 471-488
temperature on growth ... 459-471
Russian thistle. See *Salsola kali* var. *tenuifolia.*
Rye. See *Secale cereale.*
Saccharum spontaneum, host of *Sclerospora* spp ... 669-684
Salobrana tecomae. Syn. *Clydonopteron tecomae.*

Salsola kali var. *tenuifolia*, host of *Eutettix tenella* ... Page 247
Sambucus canadensis, water lenticels ... 256
Sanicula—
menziesii, host of *Urophlyctis pluriannulatus* ... 312
spp., blisterlike galls on ... 299
Sap—
composition in orange leaves ... 182–187
pressure, relation to hypertrophy ... 260
Sarothamnus scoparius, growth in calcareous soil ... 35
Sawfly, LeConte's. See *Neodiprion lecontei*.
"Scab" of onions. See *Colletotrichum circinans*.
Scavenger worm. See *Pyroderces rileyi*.
Schinia rectifascia. Syn. *Bagisara rectifascia*.
Schistosoma—
haematobium, parasite of Bullinus, Planorbis, and Physopsis ... 198
japonicum—
cause of schistosomiasis ... 193, 198
parasite of Blanfordia ... 198
mansoni, parasite of Bullinus, Planorbis, and Physopsis ... 198
Schwartz, Benjamin (paper): Effects of X-Rays on Trichinæ ... 845–854
Schistosomiasis, caused by blood flukes ... 193
Scirpus, host of *Gibberella saubinetii* ... 16
Sclerospora—
graminicola, conidia ... 679
javanica, difference from *Sclerospora philippinensis* ... 679
maydis, difference from *Sclerospora philippinensis* ... 679
philippinensis, causal organism of downy mildew of maize ... 669–684
sacchari, conidia ... 679
spontanea, n. sp ... 669–684
Sclerotinia minor, n. sp., the Cause of a Decay of Lettuce, Celery, and Other Crops (paper) ... 331–334
Scofield, C. S., and Harris, J. Arthur (paper): Permanence of Differences in the Plots of an Experimental Field ... 335–356
Scotch pine. See *Pinus sylvestris*.
Scrub pine. See *Pinus virginiana*.
Season, effect on—
physical state of soil ... 397–404
ripening of sweetcorn ... 798–799
Secale cereale, host of *Gibberella saubinetii* ... 1–32
Seed wheat, injury from formaldehyde ... 209–244
Seeds, mustard, substitutes ... 117–140
Seedling-blight of cereals caused by *Gibberella saubinetii* ... 5
Seedlings, wheat, availability of potassium in orthoclase solutions ... 615–621
Septicemia, inefficacy of echinacea against ... 72–74
Sequoia spp., reported immunity from hypertrophied lenticels ... 255
Serum, blood, effect on efficacy of chlorin disinfectants ... 89–110
Sesbania cavanillesii. Syn. *Daubentonia longifolia*.
Shallots. See *Allium ascalonicum*.
Shaw, R. H., and Wright, P. A. (paper): A Comparative Study of the Composition of the Sunflower and Corn Plants at Different Stages of Growth ... Page 787–793
Shore pine. See *Pinus contorta*.
Shrinkage of grapefruit in storage ... 360–372
Sida sp., food plant of *Telphusa mariona* ... 812
Siderocarpus flexicaulis, food plant of *Aedemoses haesitans* ... 816
Silage—
sugar beet top ... 537–542
sunflower, digestion ... 881–888
Silicate, calcium, effect on growth of plants ... 40–44
Silica—
in potato tubers, skins, and sprouts ... 633
in normal and mottled citrus leaves ... 166–190
in plants grown with ferrous sulphate and gypsum ... 42
in plants grown with sodium bicarbonate and sprayed with lime and iron salts ... 46
in soil extract ... 387–394
Silver pine. See *Pinus monticola*.
Sinapis—
alba, white mustard ... 117, 123, 125–126
brassicata, classification ... 119
chinensis, classification ... 119
juncea var. *napiformis*. Syn. *Brassica napiformis*.
pekinensis, classification ... 119
Sitophilus—
granarius—
allied to *S. oryza* ... 409
description ... 613–614
distinguishing characters ... 605–606
synonymy ... 613
linearis—
life history ... 440–443
parasite of *Tamarindus indicus* ... 439–446
parasites ... 443
oryza—
control ... 422
description ... 610–612
distinguishing characters ... 605–606
food ... 410–411
life history ... 411–421
parasites ... 421–422
synonymy ... 610
Skins, Irish potato, composition ... 623–635
Smartweed borer. See *Pyrausta ainsliei*.
Smudge, onion. See *Colletotrichum circinans*.
"Snowmold," caused by *Fusarium* spp ... 19–20
Snyder, Robert S., et al. (paper): Sunflower Digestion Experiment with Cattle and Sheep ... 881–888
Soda in plants grown with—
ferrous sulphate and gypsum ... 42
sodium bicarbonate and sprayed with lime and iron salts ... 46
Sodium—
bicarbonate—
effect on growth of rice ... 44–47
value as disinfectant ... 86–110
hypochlorite, value as disinfectant ... 86–110
in normal and mottled citrus leaves ... 166–190
in soil extract ... 387–394

Sodium—Continued. Page
phosphate, effect on availability of potassium ... 616-617
in southern poultry feeds ... 143
Sodium-toluene-sulphon-chloramid. See "Chloramin T."
Soil—
availability of iron ... 33-62
effect of—
carbonate of lime on availability of iron ... 47-49
season and crop growth on physical state ... 397-404
various crops on water extract ... 663-667
effect on composition of potato tubers, skins, and sprouts ... 632-634
moisture, effect on Fusarium-wilt of tobacco 529
reaction, effect on Fusarium-wilt of tobacco ... 528-529
relation of calcium content to reaction ... 855-868
solution, relation to soil extract ... 381-395
temperature, effect on Fusarium-wilt of tobacco ... 527-528
Solanin in potato sprouts ... 623
Solanum tuberosum—
attacked by blackleg ... 325-330
berries host of *Gibberella saubinetii* ... 16
composition of tubers, skins, and sprouts ... 623-635
effect on water extract of soil ... 663-667
vascular discoloration of tubers ... 277-294
Solidago spp., shelter plants of *Pyrausta ainsliei* ... 839
Solids, soluble, in grapefruit ... 359-372
Soluble solids in grapefruit ... 359-372
Solution, soil, relation to soil extract ... 381-395
Somasia helianthana. Syn. *Eucosma helianthana*.
Some Changes in Florida Grapefruit in Storage (paper) ... 357-373
Some Lepidoptera Likely to Be Confused with the Pink Bollworm (paper) ... 807-836
Sorghum—
susceptibility to formaldehyde injury ... 241
See *Andropogon sorghum*.
Soybean-cowpea bacteria, comparison with *Bacillus radicicola* and *B. radiobacter* ... 545-554
Soybean nodule bacteria cultures, effect on milk ... 550
Spalangionorpha fasciatipennis, parasite of *Sitophilus oryza* ... 422
Spathimeilenis spinigera, parasite of *Neodiprion lecontei* ... 757-758
Spelt. See *Triticum spelta*.
Species, new ... 114, 333, 431, 678, 811, 812-813, 814-816, 818-819, 823-824, 825-826, 827-828
Spore-forming bacilli in canned ripe olives ... 377-379
Sprouts, Irish potato, composition ... 623-635
Stahl, C. F. (paper): Studies on the Life History and Habits of the Beet Leafhopper ... 245-252
Staphylococci in canned ripe olives ... 377-379
Staphylococcus aureus, effect of chlorin disinfectants upon ... 88-110
Starch—
hydrolysis by *Rhizopus tritici* ... 765-783
in Chinese colza seed ... 127
Starch—Continued. Page
in plants, influence of cold in transforming to sugar ... 153-154
in sweetcorn ... 795-805
Stenomidae, similarity of one species to *Pectinophora gossypiella* ... 816-817
Stewart, G. R., and Martin, J. C. (paper): Effect of Various Crops upon the Water Extract of a Typical Silty Clay Loam Soil ... 663-667
Stewart G. R., et al (paper): Relation of the Soil Solution to the Soil Extract ... 381-395
Stigmonota tristrigana. Syn. *Laspeyresia tristrigana*.
Stipa, host of *Gibberella saubinetii* ... 16
Stizolobium vines, availability of iron to rice plants in calcareous and noncalcareous soils 50-54
Storage, effect on—
Colletotrichum circinans ... 713-716
deterioration of sugars ... 637-653
grapefruit ... 357-373
Strophostyles nodule bacteria cultures, effect on milk ... 550
Strymon melinus, pest of Malvaceae ... 834
Studies in Mustard Seeds and Substitutes: I. Chinese Colza (Brassica campestris chinoleifera Viehoever) (paper) ... 117-140
Studies on the Life History and Habits of the Beet Leafhopper (paper) ... 245-252
Study of Some Poultry Feed Mixtures with Reference to Their Potential Acidity and Their Potential Alkalinity: I. (paper) ... 141-149
"Subculoyd Inula and Echinacea," medicinal properties ... 65-84
Sucrose in grapefruit ... 359-372
Sugar Beet Top Silage (paper) ... 537-542
Sugar—
in grapefruit ... 359-372
in plants, influence of cold in transforming from starch ... 153-154
in sweetcorn ... 795-805
Sugars, deterioration in storage ... 637-653
Sulphate—
calcium, effect on—
availability of potassium ... 616-617
growth of plants ... 40-44
copper, toxity to snails ... 196-208
ferrous—
and molasses, availability to rice plants in calcareous and noncalcareous soils ... 50-54
availability to rice plants in calcareous and noncalcareous plants ... 50-54
effect on action of gypsum ... 38-44
in normal and mottled citrus leaves ... 166-190
in soil extract ... 387-394
potassium, effect on concentration of soil extract ... 388-389
Sulphur—
in normal and mottled citrus leaves ... 166-190
in plants grown with ferrous sulphate and gypsum ... 42
in southern poultry feeds ... 143
Sunflower plants, comparison with corn for silage ... 787-793

Sunflower Silage Digestion Experiment with Cattle and Sheep (paper) 881–888
Swanson, C. O., Latshaw, W. L., and Tague, E. L. (paper): Relation of the Calcium Content of Some Kansas Soils to the Soil Reaction as Determined by the Electrometric Titration 855–868
Sweet clover nodule bacteria cultures, effect on milk 550
Sweetcorn, effect of climatic temperature on ripening processes 795–805
Swine, inheritance of syndactylism 595–604
Syndactylism, black, and dilution in swine, inheritance of 595–604
Tague, E. L. (paper): Changes Taking Place in the Tempering of Wheat 271–275
Tague, E. L., et al. (paper): Relation of the Calcium Content of Some Kansas Soils to the Soil Reaction as Determined by the Electrometric Titration 855–868
Tamarack. See *Larix laricina*.
Tamarind Pod-Borer, Sitophilus linearis (Herbst) (paper) 439–446
Tamarind. See *Tamarindus indicus*.
Tamarindus indicus, host of *Sitophilus linearis* 439–446
Tamarrha bittenella. Syn. *Ethmia bittenella*.
"Tan disease" of fruit trees 263
Tannate, ferric, availability to rice plants in calcareous and noncalcareous soils 50–54
Tartaric acid. See Acid, tartaric.
Tartrate, ferric—
availability to rice plants in calcareous and noncalcareous soils 50–54
effect on growth of rice 42–44
Taxus—
brevifolia, hypertrophied lenticels 255–266
cuspidata, hypertrophied lenticels 255–266
spp., reported immunity from hypertrophied lenticels 255
Tecoma radicans, food plant of *Clydonopteron tecomae* 832
Telephusa mariona, n. sp 812–813
Temperature—
at which fruit buds freeze 655–662
climatic, effect on ripening processes in sweetcorn 795–805
effect on—
carbohydrate transformation in resting potato tubers 623
formaldehyde injury to seed wheat 236–240
growth of *Colletotrichum circinans* 696–697
growth of *Pseudomonas citri* 447–506
hydrolysis of starch by *Rhizopus tritici* 767–768, 777–778
tempering of wheat 272–275
influence of copper sulphate on organisms in water 200–201
relation to deterioration of sugars in storage 642–653
to which soils can be cooled without freezing 267–269
soil, effect on Fusarium-wilt of tobacco 527–528
Tempering of wheat 271–275
Tenebroides mauritanicus, parasite of *Sitophilus oryza* 422
Teosinte. See *Euchlaena luxurians*.
Teras tostrana. Syn. *Platynota rostrana*.
Terminalia catappa, host of *Ceratitis capitata* 423
Tetanus, inefficacy of echinacea against 67–70
Tetrachlorid, carbon, effect in stimulating sprouting of potato tubers 623
Thiocyanate, allyl, formation during maceration of Chinese colza seed 131
Thiodia helianthana. Syn. *Eucosma helianthana*.
Thiourea in allyl and crotonyl isothiocyanate 127
Thiourethane, allyl, formation during maceration of Chinese colza 131
Thistle, Russian. See *Salsola kali* var. *tenuifolia*.
Thuja spp., reported immunity from hypertrophied lenticels 255
Tigbee. See *Coix lachryma-jobi*.
Tilley, F. W. (paper): Investigations of the Germicidal Value of Some of the Chlorin Disinfectants 85–110
Timothy. See *Phleum pratense*.
Titration, electrometric, indication of relation of calcium content of soil to reaction 855–868
Tobacco stems, availability of iron to rice plants in calcareous and noncalcareous soils. 50–54
Top pruning, effect on hypertrophy of conifers 258
Tobacco. See *Nicotiana tabacum*.
Tortricidae, similarity of cetaain species to *Pectinophora gossypiella* 821–822
Trailing arbutas. See *Epigaea repens*.
Transmissible Mosaic Disease of Lettuce, A (paper) 737–740
Transpiration—
effect on hypertrophy of conifers 259–262
of plants, correlation and causation 575–585
Trichinae, effect of X-rays 845–854
Trichinella spiralis, effect of X-rays 845–854
Trifolium—
montanum, host of *Urophlyctis bohemica* 313
spp., hosts of *Gibberella saubinetii* 16
Triticum—
repens, host of *Gibberella saubinetii* 16
spelta, host of *Gibberella saubinetii* 1–32
spp.—
hosts of *Giberella saubinetii* 1–32
seed, injury from formaldehyde 209–244
seedlings, availability of potassium in orthoclase solutions 615–621
Tropical almond. See *Terminalia catappa*.
Trumpet flower vine. See *Tecoma radicans*.
Trypanosoma equiperdum, inefficacy of echinacea against 80–82
Trypanosomiasis, inefficacy of echinacea against 80–82
Tsuga canadensis, hypertrophied lenticels. 255–266
Tubercle bacillus, effect of chlorin disinfectants 98–100
Tuberculosis, inefficacy of echinacea against. 77–79
"Tuberin" in potato sprouts 624
Tubers, Irish potato, composition 623–635
Turnips. See *Brassica rapa*.
Thyridinae, similarity of one species to *Pectinophora gossypiella* 828–829

Page

Typha—
latifolia, shelter plant of *Pyrausta ainslici*.. 839
sp., food plant of *Dicymotomia julianalis*. 831
Tyrosin in potato sprouts..... 624
Ulmus, host of *Gibberella saubinetii*..... 16
Uranotes melinus. Syn. *Strymon melinus*.
Urocystis cepulae, similarity to *Colletotrichum circinans*..... 718
Urophlyctis—
alfalfae, parasite of alfalfa..... 295–324
bohemica, haustoria..... 313
(*Cladochytrium*) *pulposa*, parasite on *Chenopodium* spp..... 300
hemisphaerica, similarity of *U. alfalfae* in growth..... 303
kriegeriana—
haustoria..... 313
Syn. *U. hemisphaerica*.
leproidea, similarity of *U. alfalfae* in growth. 303
magnusiana, haustoria..... 313
major, haustoria..... 313
(*Physoderma*) *leproidea*, parasite of beets.. 300
pluriannulatus, similarity to *U. alfalfae*.... 312
pulposa—
apical apparatus on vegetative cells..... 306
haustoria..... 313
rübsaameni—
haustoria..... 313
nuclear behavior..... 308
Vaccinium—
corymbosum, influence of cold in stimulating growth..... 156–160
sp., calcifugous nature..... 34
Valerianate, ferric, availability to rice plants in calcareous and noncalcareous soils..... 50–54
Valeric acid. See Acid, valeric.
Valin in potato protein..... 624
Variations in Colletotrichum gloeosporioides (paper)..... 723–736
Varietal resistance to Fusarium-wilt of tobacco..... 530–533
Variety, new..... 118–140, 521, 525–536
Vascular Discoloration of Irish Potato Tubers (paper)..... 277–294
Ventilation in barns..... 405–408
Vermicularia—
circinans. Syn. *Colletotrichum circinans*.
gloeosporioides. Syn. *Colletotrichum gloeosporioides*.
"Vermiculariose." See *Colletotrichum circinans*.
Verticillium albo-atrum, cause of vascular necrosis of potato tubers..... 277
Vetch nodule bacteria cultures, effect on milk. 550
Viburnum americanum, influence of cold in stimulating growth (Pl. 21)..... 151–160
Vicia faba—
composition of green and albino leaves.... 182
effect on water extract of soil..... 663–667
Viehoever, Arno, Clevenger, Joseph F., and Ewing, Clare Olin (paper): Studies in Mustard Seeds and Substitutes: I. Chinese Colza (Brassica campestris chinoleifera Viehoever)..... 117–140

Page
Volatile oil in Chinese colza seed..... 127–132
Volutella circinans. Syn. *Colletotrichum circinans*.
Walker, J. C. (paper): Onion Smudge..... 685–722
Water—
caused to become unfree by seeds..... 587–593
effect on—
availability of iron in soil..... 54–58
hypertrophy of conifers..... 258–262
tempering of wheat..... 272–275
extract of soil, effect of various crops.... 663–667
Water-soluble—
nitrates in cropped and uncropped soils.. 663–667
phosphorus in wheat, changes due to tempering..... 272–275
Weed, beggar, nodule bacteria cultures, effect on milk..... 550
Weevil—
avocado. See *Heilipus lauri*.
rice. See *Sitophilus oryza*.
Welcome, C. J., et al. (paper): Further Studies in the Deterioration of Sugars in Storage. 637–653
West, Frank L., and Edlefsen, N. E. (paper): Freezing of Fruit Buds..... 655–662
Western yellow pine. See *Pinus ponderosa*.
Weston, William H. (paper): Another Conidial Sclerospora of Philippine Maize..... 669–684
Wheat—
tempering..... 272–275
See *Triticum* spp.
White pine. See *Pinus strobus*.
Wild crab. See *Malus coronaria*.
Willard, H. F. (paper): Opius fletcheri as a Parasite of the Melon Fly in Hawaii..... 423–438
Wind, influence in dissemination of spores of *Gibberella saubinetii*..... 11–12
Wissadula—
lozani, food plant of *Zenodoxus palmii*..... 826
sp., food plant of *Telphusa mariona*..... 812
Worm, scavenger. See *Pyroderces rileyi*.
Wright, P. A., and Shaw, R. H. (paper): A Comparative Study of the Composition of the Sunflower and Corn Plants at Different Stages of Growth..... 787–793
Wright, Sewall (paper): Correlation and Causation..... 557–585
Xanthium communis, shelter plant of *Pyrausta ainsliei*..... 839
X-rays, effect on trichinæ..... 845–854
Yeasts in canned ripe olives..... 377–379
Yellow pine. See *Pinus ponderosa*.
Zea mays—
effect on water extract of soils..... 663–667
host of *Physoderma zeae-maydis*..... 313
host of *Sclerospora spontaneum*..... 669–684
in storage, attacked by Rhynchophora.. 605–614
shelter plant of *Pyrausta ainsliei*..... 839
Zenodochium citricolella, similarity to *Pectinophora gossypiella*..... 817–818
Zenodoxus palmii, similarity to *Pectinophora gossypiella*..... 826–827